

# CLIP top BLUMOTION 110°

Technical data sheet



# **CLIP top BLUMOTION**








#### **Product**




### Description


- All metal hinge, nickel plated
- 110° opening angle
- With integrated BLUMOTION
- BLUMOTION can be deactivated
- With convenient spiral-tech depth adjustment
- With closing mechanism (spring)
- Tool-free door to cabinet assembly and removal
- 3-dimensional adjustment
- With INSERTA tool-free boss assembly


## **Application**



#### Order specification






















Cover caps		
Steel		Nickel plated
		70.1503
d	Blum	70.1503.BP
	Steel	Steel

-	Cover caps		
	Steel		Nickel plated
Plain	•		70.1663
Screen	print	Blum	70.1663.BL

	Cover caps		
and the same of th	Steel		Nickel plated
Plain			70.1663
Screen	print	Blum	70.1663.BL

#### Accessories







# **CLIP top BLUMOTION**








#### **Planning**


Hinge dimensions and gap calculation based on factory setting (mounting plate spacing = 0 mm)


Hinge and door protrusion at full opening angle



F Gap

Set mounting plate fixing position back by door thickness + 1.5 mm





#### Adjustments







 $\begin{array}{ll} \text{max.} \pm 3.0 \text{ mm} & \pm 2.0 \text{ mm} \\ \text{see mounting plates} \end{array}$ 

+ 3.0 mm

- 2.0 mm

